



**CENTRAL UP GAS LIMITED**  
**(CITY GAS PROJECT IN KANPUR & BAREILLY)**

**BID DOCUMENT FOR ANNUAL RATE  
CONTRACT FOR THE PROCUREMENT OF  
MDPE PIPES FOR KANPUR, UNNAO,  
BAREILLY AND JHANSI**

**BID DOCUMENT NO : CUGL/C&P/TEN2425/20**

**THROUGH E-TENDERING MODE**

**OPEN DOMESTIC COMPETITIVE BIDDING**

**TECHNICAL DOCUMENTATION**  
**TECHNICAL, VOL. I OF II**

**TECHNICAL  
SPECIFICATIONS  
/SCOPE OF SUPPLY**

## 1.0 **General**

- 1.1 SCC shall be read in conjunction with the General Conditions of Contract, Specification of work, Drawing and any other documents forming part of this Contract wherever the context so requires.
- 1.2 Notwithstanding the sub-division of the documents into these separate sections and volumes every part of each shall be deemed to be supplementary to and complementary of every other part and shall be read within the Contract so far as it may be practicable to do so.
- 1.3 Where any portion of the General Conditions of Contract (GCC) is repugnant to or is at variance with any of the provisions of the SCC and unless a different intention appears, the provisions of the SCC shall prevail over the provisions of the GCC.
- 1.4 Wherever it is mentioned in the specification that the Bidder shall perform certain work or provide certain facilities, it is understood that the Bidder shall do so at his cost and the Value of Contract shall be deemed to be including the cost of such performance and provisions, so mentioned.
- 1.5 The materials, design, and workmanship shall satisfy the relevant Indian / Foreign Standards, the Technical Specifications / Data Sheets contained herein and Codes referred to. Where the job specification stipulates requirements in addition to those contained in the standard codes and specifications, these additional requirements shall also be satisfied.
- 1.6 In case of an irreconcilable conflict between Indian or other applicable standards, GCC, SCC, Specification, Drawings or Schedule of Rates (SOR), the following shall prevail to the extent of such irreconcilable conflict and in this order of precedence:
1. Letter of Acceptance / FOI along with Statement of Agreed Variations.
  2. SOR as enclosures to Letter of Acceptance
  3. SCC
  4. Drawings
  5. Technical / Material Specifications / Data Sheets
  6. Instruction to Bidder
  7. GCC
  8. Applicable standards
- 1.7 It will be the Bidder's responsibility to bring to the notice of Engineer-In-Charge any irreconcilable conflict in the contract documents before starting the work or making the supply with reference to which the conflict exists.
- 1.8 In the absence of any specifications covering any material, design of work the same shall be performed / supplies / executed in accordance with Standard Engineering Practice as per the instructions / directions of the Engineer – In – Charge, which will be binding on the Bidder.

## 2.0 **Definitions**

For definitions refer to General Conditions of Contract (GCC)

## 3.0 **Scope of Work**

- 3.1 The bidder shall have the single point responsibility of Design, Engineering, Manufacturing and supply of the MDPE pipe specification.

## 4.0 **Firm Prices**

- 4.1 Without prejudice to stipulation in GCC, the bidders should quote firm prices inclusive of all taxes, duties and other levies and cess on which no variation will be allowed except statutory variation in Excise Duty and Sales Tax during the contractual completion period. Any variation (increase) beyond the Contractual Completion period shall be to SELLERS's account and if there is any decrease the same shall be passed on to the OWNER,
- 4.2 The quoted prices shall not be subject to price escalation during the contract period, for whatever reason except for the statutory variation stipulated above.

## 5.0 **Delivery Schedule**

Mentioned in SCC section

5.1 The prices shall be firmed and fixed for the contract period of 01 year.

6.0 **PACKING MARKING AND SHIPMENT**

6.1 The seller will follow the instruction given in bid document for proper packing and crating of goods for transportation in a manner in accordance with bid specification. The seller shall be held responsible for all damages due to improper packing/dispatch.

**TECHNICAL SPECIFICATION FOR POLYETHYLENE PIPES**

## TABLE OF CONTENTS

1. INTRODUCTION & SCOPE
2. DEFINITIONS
3. PIPE SIZES
4. LENGTH OF PIPES
5. COLOUR
6. MARKING
7. HANDLING AND STORAGE
8. QUALITY ASSURANCE (QA)

**1 INTRODUCTION & SCOPE**

The present Specification relates to the manufacture of “Polyethylene Line Pipes” for the CUGL City Gas Distribution Project.

The present specification confirms, completes or modifies certain sections/paragraphs of the said General Technical Specifications.

**2. DEFINITIONS**

Owner/Purchaser/Client/Owner Representative: Company: means CUGL Manufacturer means the Manufacturer of the pipes as well as its sub-contractor(s). Third Party Inspection Agency means the Inspection Agency to be appointed by CUGL, Bidder means the party quoting for the pipes.

**3. PIPE SIZES**

<u>Nominal Dia Di</u>	<u>Thickness</u>	<u>Material</u>
• 32mm	SDR11	PE100 Polyethylene
• 125mm	SDR11	PE100 Polyethylene

**4. LENGTH OF PIPES**

The required minimum lengths are as follows: Nominal Dia

<u></u>	<u>Lengths</u>
32 mm	200 mtrs
125mm	50 mtrs

**1. COLOUR**

The pipe shall be of ORANGE colour.

**6. MARKING**

Owner’s/Owner Representative name as CUGL be marked on each pipe.

**1. HANDLING AND STORAGE**

Packaging shall be done in Hessian cloth (Jute) to avoid direct sunlight and facilitate out- door storage.

**8. QUALITY ASSURANCE (QA)**

Manufacturer to submit QA system for the approval of Owner /Owner Representative.

**Polyethylene pipes for underground networks for natural gas distribution General requirements**



TABLE OF CONTENTS

1. SUBJECT AND AREA OF APPLICATION
  2. REFERENCE STANDARDS AND SPECIFICATIONS
  3. DEFINITIONS
  4. MATERIAL SPECIFICATION
  5. CHARACTERISTICS
  6. TEST METHODS
  7. MARKING
  8. PACKAGING AND STORAGE
  9. PRODUCT TYPE-APPROVAL
- APPENDIX 1
- APPENDIX 2
- APPENDIX 3
- APPENDIX 4

## 1. SUBJECT AND AREA OF APPLICATION

This specification defines the requirements which must be met by polyethylene (PE) pipes used to construct underground networks for natural gas distribution.

This specification is based on draft standard EN 1555-2, which states the options and defines supplementary requirements arising from specific provisions on safety and historic constraints relating to our networks.

Testing of the pipes is carried out in accordance with the applicable codes & Standards for “Polyethylene pipes for underground networks for natural gas distribution”.

## 2. REFERENCE STANDARDS AND SPECIFICATIONS

ISO 760: 1978	Determination of water - Karl Fisher method (General method)
ISO 4437: 1997	Buried polyethylene (PE) pipes for the supply of gaseous fuels- Metric series- Specifications
ISO 6259-3: 1997	Thermoplastics pipes - Determination of tensile properties-Part 3: Polyolefin pipes
ISO 3126: 1974	Plastic pipes- Measurement of dimensions
ISO 1183: 1987	Plastics - Methods for determining the density and relative density of non-cellular plastics
ISO/DIS 1183-3	Plastics - Methods for determining the density of non- cellular plastics - Part 3: Gas pycnometer method
ISO 2505-1: 1994	Thermoplastics pipes - Longitudinal reversion - Part 1: Determination methods
ISO 2505-2: 1994	Thermoplastics pipes - Longitudinal reversion - Part 2: Determination parameters
ISO 1167: 1996	Thermoplastics pipes for the conveyance of fluids- Resistance to internal pressure- Test method
EN 728:1997	Plastics piping and ducting systems - Polyolefin pipes and fittings - Determination of oxidation induction time.
EN 1056: 1996	Plastics piping and ducting systems - Plastics pipes and fittings - Method for exposure to direct (natural) weathering.
prEN 1555-1: 2001	Plastics piping systems for the supply of gaseous fuels- Polyethylene (PE)-Part 1: General.
prEN 1555-2: 2001	Plastics piping systems for the supply of gaseous fuels - Polyethylene (PE) - Part 2: Pipes.
EN ISO 12162: 1995	Thermoplastics materials for pipes and fittings for pressure applications- Classification and designation-Overall service (design) coefficient.

EN ISO 13479	Polyolefin pipes for the conveyance of fluids - Determination of resistance to crack propagation - Test method for slow crack growth on notched pipes (notch test).
ISO 4440-1: 1994	Thermoplastics pipes and fittings - Determination of melt mass-flow rate - Part 1: Test method.
ISO DIS 9080	Plastics piping and ducting systems - Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation.
ISO 13477: 1997	Thermoplastics pipes for the conveyance of fluids - Determination of resistance to rapid crack propagation (RCP) - Small-scale-steady-state test (S4 test).
IS 14885: 2001	Polyethylene pipes for the supply of Gaseous Fuels-Specifications.
11-0257-02-07-02-005	Polyethylene compounds for the manufacture of pipes and fittings for Underground natural gas distribution networks. Acceptance procedure.

### **3. DEFINITIONS**

#### **3.1. BATCH OF COMPOUND**

By batch of compound is meant a homogeneous quantity of PE compound of the same origin and of a particular brand.

The batch must be registered under a single identification number (batch number) which leaves no doubt as to the origin, identity and date of manufacture of the compound.

#### **3.2. BATCH OF PIPES**

By batch of pipes is meant a homogenous lot of pipes with identical dimensions, made in a continuous process by the same extrusion machine and from the same batch of compound.

#### **3.3. MINIMUM REQUIRED STRENGTH (MRS 10)**

Standardized class of compounds for which the Lower Confidence Limit (LCL) is equal to 10.

#### **3.4. PE 100**

Standard designation for PE compounds in class MRS 10.

For such PE compounds, the long-term hydrostatic strength — calculated and classified according to the standardized method (ISO 9080 and ISO 12162) for a temperature of 20°C, a period of 50 years and a reliability of 97.5 % — must be at least 10 MPa.

### 3.5 LOWER CONFIDENCE LIMIT (LCL)

A quantity with the dimensions of stress, in Megapascal, which can be considered as a property of the material under consideration and represents the 97.5% lower confidence limit of the predicted long-term hydrostatic strength at a temperature of 20°C for 50 years with internal water pressure.

### 3.6 Standard Dimensions Ratio (SDR)

SDR is the quotient of the nominal outside diameter and the nominal wall thickness (expressed rounded to one decimal)

$$\text{SDR} = d_e/e_n$$

$d_e$  = nominal diameter of pipe

$e_n$  = nominal thickness of pipe in mm

### 3.7 Overall Service (Design) Co-efficient (C)

C is an overall co-efficient with a value greater than 1 which takes into consideration service condition as well as properties of the components of a piping system other than those represented in the lower confidence limit. For this specification the minimum of C is 2.0

### 3.8 Maximum Allowable Operating Pressure (MAOP)

The highest effective pressure of the gas in the pipeline system expressed in bar, which is allowed in continuous use. It takes into account the physical and the mechanical characteristics of the components of the piping system.'

It is given by the equation:

$$\text{MAOP} = (20 \times \text{MRS}) / (C \times (\text{SDR} - 1))$$

## 4. MATERIAL SPECIFICATION

The PE compounds that are acceptable shall conform to the requirements for PE 100 described in prEN1555-1.

In order to be approved, materials shall conform with the CUGL technical specification 11-0257-02-07-02 005 "Polyethylene compounds for manufacture of pipes and fittings for underground networks for natural gas distribution - Acceptance procedure." Approved materials are listed in Appendix 1.

Characteristics of PE Compound are given in Appendix 3. Following are forbidden:

- a. use of recycled materials.
- b. mixture of different materials.
- c. addition of complementary materials by the pipe manufacturer.

## **5. CHARACTERISTICS**

### **5.1. RAW MATERIAL**

All the characteristics of the PE Compound are in accordance with the provisions of prEN 1555-1 or IS 14855 and ISO 4437 for PE 100 materials and for the limit values listed in the table in Appendix 3.

### **5.2. PIPES**

#### **5.2.1. Physical characteristics**

##### **5.2.1.1. Appearance of pipes**

The appearance of the pipes is checked in accordance with 6.1. The pipes must be square cut with smooth trimmed ends.

The internal and external surfaces of the pipes, examined visually without magnification, are uniform and smooth.

The pipes are free of scratches, pits, voids, blisters, occlusions or cracks.

##### **5.2.1.2. Color**

The pipes shall be orange in accordance with the local requirements.

##### **5.2.1.3. Density**

Density is measured in accordance with the provisions of § 6.2. The measured value must correspond to the data listed in the table in Appendix 3, allowing for possible differences caused by measuring on the pipe instead of granulating.

#### 5.2.1.4. Melt mass-flow rate (MFR)

The melt mass-flow rate MFR (190°C - 5 kg), measured on a sample taken from the pipe in accordance with 6.3., is within the limits stated in the table in Appendix 3: characteristics of PE Compound.

In addition, the discrepancy in absolute value between the MFR measured on a pipe sample and that measured on a sample of raw material may not exceed 20% of the latter.

#### 5.2.1.5. Volatile content

The volatile content, measured on a pipe sample in accordance with Clause 6.4., may not exceed 350 mg/kg.

#### 5.2.1.6. Water content

The water content may be estimated by measuring the volatile content.

If the volatile content, measured in accordance with 6.4., is more than 250 mg/kg, the water content must be ascertained.

The water content, measured in accordance with 6.5., must be 250 mg/kg or less.

#### 5.2.1.7. Thermal stability (OIT)

Thermal stability is measured in accordance with § 6.6 on samples taken from the wall at random.

The minimum oxidation induction time at 210°C is 20 minutes. The maximum admissible decrease in the oxidation induction time measured on a pipe sample compared to that measured on the raw material, may not exceed 20% of the latter.

#### 5.2.1.8. Resistance to atmospheric influence

Resistance to atmospheric influence is tested in accordance with § 6.7. The exposure dose corresponds to a total energy of at least 3.5 GJ/m<sup>2</sup>.

After testing, the pipe sample must meet the specifications laid down in § 5.2.1.7 (thermal stability), 5.2.2.2 (resistance to internal hydraulic pressure) and 5.2.2.5 (stress at yield point and elongation to fracture). In the latter test, only elongation to fracture is taken into consideration.

## 5.2.2. Mechanical characteristics -

### 5.2.2.1. Internal stresses

Internal stresses are measured in accordance with § 6.8. The variation in length between the reference points must be 3% or less.

### 5.2.2.2. Resistance to internal hydraulic pressure

The tests are carried out in accordance with §6.9. The test specimens taken from a batch of pipes show no leakage in the conditions of temperature, wall stress and test length stated in the tables in Appendix 4: resistance to internal hydraulic pressure.

If, for a given material, during the test at 80°C - 165 hrs with the highest wall stress  $\sigma$ , fracture occurs before the specified time and is ductile in nature, the tests are repeated with a minimum time of 1,000 hrs and the corresponding wall stress level as specified in Appendix 4.

### 5.2.2.3. Resistance to slow cracking (Notch test)

The test is carried out on pipes with a nominal diameter  $\geq 90$  using the test method stated at 6.10. No fracture will occur on the samples for test periods of less than 500 hrs.

### 5.2.2.4. Resistance to growth of cleavage fractures

Pipes with a diameter  $\geq 90$  are tested in accordance with the test described at § 6.11. The critical pressure at 0°C is at least 3 bar.

### 5.2.2.5. Stress at yield point and elongation to fracture The test is carried out as described at Cl 6.12.

The minimum stress at the yield point is defined in the table “Characteristics of PE Compound” (Appendix 3).

Elongation to fracture must be more than 350% for each test specimen.

### 5.2.3 Dimensional characteristics

The dimensions are measured in accordance with 6.13.

#### 5.2.3.1. Series

The pipes belong to either series SDR 11 or 17.6 in table A

below: TABLE A

Nominal Diameter $d_e$	Thickness $e_n$ (mm)	
	SDR 11	
32	3.0	
125	11.4	

#### 5.2.3.2. Length

The length of the pipes is specified in the order. The preferred lengths are defined in

§8.2. The tolerances for straight pipes are: - 0 / + 0.05 m

The tolerances for rolled pipes are: - 0 / + 0.50 m

#### 5.2.3.3. Mean external diameter $D_m$

The extreme mean external diameters are stated in IS 4437.

#### 5.2.3.4. External diameter $D$ - ovalization

The maximum deviation permitted in relation to nominal diameter  $d_e$  is given IS 4437.



In the event of dispute regarding the dimensions of rolled pipes, the dimensions shall be reviewed 24 hours after the pipe has been unrolled.

#### 5.2.3.5. Thickness

The thicknesses are given in table A and have been taken from ISO 4437.

#### 5.2.4 Reversion Test

When tested as per Clause 6.14, the value of longitudinal reversion shall not be greater than 3%.

#### 5.2.5 Tensile Test

When tested in accordance with Cl. 6.15 at  $23 \pm 1^{\circ}\text{C}$  at a speed of 100 mm/min  $\pm$  10% for specimen thickness below 5 mm and at a speed of 25 mm/min for thickness above 5mm, the value obtained shall be as follows:

Tensile yield strength      15 MPa, Min Elongation at Break      350 %, Min

#### 5.2.6 Squeeze off

On all sizes of pipe up to and including 400 mm diameter, strength after squeeze-off and subsequent rerounding, must be demonstrated by testing as per Cl. 6.16.

#### 5.2.7 Pigment Dispersion

When tested as per Annex E of IS 14885, the grading should be  $\leq 3$ .

## 6.0 TEST METHODS

### 6.1. APPEARANCE

The pipes are presented on suitable work surfaces and examined visually.

A suitable artificial lighting system is used to examine their internal appearance.

### 6.2. DENSITY

The density is tested using the method described in ISO 1183, with the result expressed in  $\text{kg/m}^3$ .

### 6.3. MELT MASS-FLOW RATE (MFR)

The melt mass-flow rate shall be ascertained in accordance with standard ISO 4440-1 or IS-14885.

#### 6.4. DETERMINATION OF VOLATILE CONTENT

The volatile content is checked using the method described in ISO 4437/IS 14885.

#### 6.5. DETERMINATION OF WATER CONTENT USING KARL FISCHER METHOD

The water content is measured using the Karl Fischer method described ISO 760.

#### 6.6. THERMAL STABILITY (OIT)

The test is carried out in accordance with the minimum oxidation induction time (OIT) of the material from the product shall be  $\geq 20$  min when tested as per Annex. D of IS 14885.

#### 6.7. RESISTANCE TO ATMOSPHERIC INFLUENCE

Resistance to atmospheric influence is tested in accordance with the specifications of standard EN 1056.

Artificial exposure is also acceptable, provided it can be proved that the test is equivalent to the natural exposure test.

#### 6.8. INTERNAL STRESSES

Internal stresses are measured using the methods described in ISO 2505. The test temperature is  $110 \pm 2^\circ\text{C}$ .

Table B states the time depending on the thickness of the pipe and the method used.

Table B

Wall Thickness m	Time in minutes	
	Bath	Stove
$e < 8$	15	60
$8 \leq e < 16$	30	120
$16 \leq e$	60	240

#### 6.9. RESISTANCE TO INTERNAL HYDRAULIC PRESSURE The

test method is that described in ISO 1167.

The test pressure is calculated using the following formula, based on the nominal diameters and thicknesses.

$$P = 10 \cdot \sigma \cdot (2 \cdot en) / (de - en)$$

where

$\sigma$  = pipe wall stress in MPa     $de$  = nominal diameter of pipe

$en$  = nominal thickness of pipe in mm     $p$  =

test pressure in bar

In the event of dispute, the test pressure shall be calculated on the basis of the diameters and thicknesses measured.

The test specimens taken from a batch of pipes show no leakage in the conditions of temperature, wall stress and test length stated in the tables in Appendix 4: resistance to internal hydraulic pressure.

Fractures at 80°C must be of the cleavage type. The minimum fracture time is defined by the straight line at 80°C connecting the points specified in the tables in Appendix 4.

If the pressure and/or temperature limits specified are exceeded, this is noted in the report stating the reason and scale (times and limit values).

If during the minimum specified time the pressure and/or temperature have exceeded the upper limits determined by the standard, the test is taken into consideration if the cracking time is higher than the specified minimum. Otherwise, the test must be repeated.

On the other hand, the test must be repeated if the pressure and/or temperature fall below the lower limits.

#### 6.10. RESISTANCE TO SLOW CRACKING (NOTCH TEST)

The test is carried out in accordance with EN ISO 13479 at 80°C on a notched pipe with a wall stress of 4.6 MPa.

#### 6.11. RESISTANCE TO GROWTH OF CLEAVAGE FRACTURES

Resistance to the growth of cracks is tested using test S4 described in standard ISO 13477. The test temperature is 0°C and the knife speed 20 m/sec.

#### 6.12. STRESS AT YIELD POINT AND ELONGATION TO

FRACTURE The test is carried out in accordance with ISO 6529-3

In the case of pipes with coextruded yellow lines, all test specimens must be taken such that the yellow marking axis coincides with the longitudinal axis of the test specimen.

For thicknesses of less than 12 mm, the test specimens shall be cut using a hollow punch. The traction speed is 100 mm/min.

#### 6.13. DIMENSIONS

All dimensions, except for lengths, are measured at a temperature of  $23 \pm 2^\circ\text{C}$  using the methods described in ISO 3126.

#### 6.14 Reversion Test

Shall be tested in according to the procedure given in Annex. C of IS 14885

#### 6.15 Tensile Test

Shall be tested according to the procedure given in Annexure J of IS 14885.

#### 6.16 Squeeze off

Shall be tested in accordance with Annexure G of IS 14885.

### 7. MARKING

The marking is repeated at least once per meter. This marking is done on two diametrically opposite generating lines. The empty space between two technical data is filled by alternate repetition of the word "GAS".

Marking must be indelible and visible in color. The stamping must not affect the quality of the pipe.

The minimum height of the characters must be:

- 3 mm for nominal diameters  $\leq 63$
- 5 mm for nominal diameters  $\geq 110$ .

The depth of the marking must be  $\leq 0.1$  mm in the case of pipes with a nominal diameter  $\leq 110$  and  $\leq 0.2$  mm in the case of pipes with larger diameters.

Marking of the pipes shall include, in the following order, on each generating line:

- the word “GAS”;
- the nominal diameter and the thickness of the wall;
- the SDR series;
- the date of manufacture (year, month, day);
- the work team in Roman numerals;
- the commercial name or code of the resin used (see Appendix 2);
- the code of the extrusion machine;
- the name or style of the manufacturer.

Any other marking, either in terms of the application technique or the data specified, must be submitted to the Company for approval in advance.

## **8. PACKAGING AND STORAGE**

### **8.1. GENERAL**

The manufacturer shall take all necessary action to prevent the pipes from deteriorating during storage, loading and transport.

The pipes may be supplied in straight lengths or in rolls. Straight lengths are normally placed in crates.

The pipes are fitted with sealing devices at both ends, of a model approved by the Company.

## 8.2. LENGTHS

The preferred pipe lengths are given in table C below.

TABLE

Nominal diameter de	C Preferred Length in meters		
	Reels		Straight pipes
32	200 m		-
125	50 m		-

The lengths to be supplied are specified in the order.

The lengths to be supplied are specified in the SOR order.

## 8.3. PACKAGING

### 8.3.1. Packaging of straight pipes

The wooden framework is banded using galvanized steel hoops. The tension of the hoops is such that the pieces of wood forming the framework are in contact with one another and the overlap of the crosspieces on the uprights is  $\frac{2}{3}$  the thickness of the latter.

### 8.3.2. Packaging of rolled pipes

Each roll includes an adequate number of hoops made from cords or bands of synthetic material, evenly distributed around the whole circumference of the bundle. In each case there must be a hoop less than 0.3 m from each end of the pipes.

The packaging must on no account adulterate the pipe.

#### 8.4. HANDLING AND STORAGE

Immediately after production, pipes shall be handled with great care from the production line to the storage place, in order to avoid any damage such as scratches, notches, superficial wear and tear, holes, dented walls or similar.

If handled by forklift or similar equipment, the metallic forks shall be covered with a soft material in order to avoid any damage to the pipes.

The extremities of the pipes shall not be in contact with the floor while handling.

Indoor storage is preferred.

Outdoor storage is permitted at the following conditions:

- Storage periods are not exceeding one month
- Pipes are protected from direct sunlight by a suitable shelter
- Pipes are stored on a hard storage surface clean from excessive dust, stones, water etc.
- Pipes are not in contact with the soil, but are supported by soft material such a wood etc.
- Pipes are protected from damages caused by traffic of forklifts, trucks etc.

#### 8.5 SEALS

Prior to execution of the order, the manufacturer must submit to the Company the seals which it intends to use for all the types of pipes ordered.

The seals shall preferably be made of PE or a material which does not adulterate polyethylene. Metal and PVC seals are not permitted. The seals must be able to withstand storage times as guaranteed in § 8.6. of this specification, and also to withstand handling during installation.

They must not be brittle or sharp and the materials, shapes and dimensions thereof must be such that they cannot fully penetrate inside the pipes.

They are of the internal plug type for all pipes supplied in straight lengths, and for pipes rolled in coils or on reels, the seals may be caps.

All seals are fitted with a valve to prevent pressurization or depressurizations of the pipes, depending on climatologically temperature cycles.

In theory, they are placed on the pipes immediately after completion of the manufacturing tests, but before storage of the pipes. In the event of acceptance, the pipe plugs are removed and replaced by the supplier.

The seals cannot be recycled after the pipes have been installed. Their removal on site should not require the use of special tools.

#### 8.5. STORAGE WARRANTY

It must be possible to store the pipes in the open air, protected from direct sunlight, without taking any other special precautions for at least two years from the date of manufacture stated on the pipe.

The storage warranty covers continued conformity of the dimensions, characteristics and performances laid down in this specification.

#### 8.6. DEADLINE FOR SUPPLY

The pipes must be supplied to the user within one month following the date of manufacture.

### 9. **PRODUCT TYPE-APPROVAL**

For the purposes of type-approval of the product, the manufacturer is obliged to supply a technical file as defined in tender.

Type-approval of the products is carried out in accordance with the aforementioned procedure.

Any change to the type-approved product, process or manufacturing equipment must be notified to the Company in writing.

Any failure in this respect shall incur withdrawal of type-approval until termination of the contract.



## APPENDIX 1

### Approved materials

The materials which have passed the “CUGL” approval procedure for PE materials are approved for manufacture of the pipes.

For information, the following materials have been approved to Solvay Eltex TUB 121

(black) PE 100

or Eltex TUB 125 (orange)

Borealis HE 2490 PE 100

Fina Finathene XS 10 B PE 100

Dow BG 10050 PE 100

Elenac Hostalen CRP 100 PE 100

BROUGE HE3492 LSH PE 100

## APPENDIX 2

Code for different raw materials

Manufa cturer	Commercial brand name		Cod e (*)
SOLV AY	ELTEX	TUB 121/125	E3
BORE ALIS		HE 2490	N3
FINA	FINAT HENE	XS 10 B	F3
DOW		BG10050	D1
ELEN AC	HOSTA LEN	CRP100	H7
BOROUGE (a part of BOREALIS & ADNOC)			HE3492LSH N3

\*Based on the GERG List

### APPENDIX- 3

#### Characteristics of PE Compound

Characteristics	Units	Requirements	Test Parameters	Test Methods
Conventional density	kg / m <sup>3</sup>	$\geq 928.4$ (base Polymer) 7328:1992 1) $\geq 928.4$ (base Polymer)	23 C   27 <sup>0</sup> C	IS
Melt flow rate	g/10 min value	+/- 20 % of  nominated by  compound producer	190 C  /5.0 Kg	IS 2530:1963
Thermal Stability	min	$\geq 20$	200 C	Annex D of IS 14855
Resistance to gas	h	$\geq 20$	80 C	Clause 5.5
Constituents				
Pigment Dispersion	Grade	$\leq 3$		Annex E of IS 14855

NOTE — Indian testing methods mentioned in IS 7328 and IS 2530 for the determination of conventional density and mass flow rate have been found co-related with ISO/British Standard Testing methods, such as ISO 1183-1983(E), ISO 1133-1991(E), ISO 6964 and BS 2782 Part 8, method 823-A, 823-B, 1978 respectively. The compound shall confirm to the weathering requirements for thermal stability as above, hydrostatic strength HS (165 h-80°C) at induced stress 4.6 MPa and 5.5 MPa for PE-80 and PE-100 material respectively and elongation at break 350 percent minimum after exposure of the test as per Annex F.

## APPENDIX 4

### Resistance to internal hydraulic pressure Specification of test parameters

PE 100 materials (MRS10)

Test type	Minimum Time hours	Type of fracture
20 °C- $\sigma \geq 12.4$ MPa	100	ductile
40 °C- $\sigma \geq 5.5$ MPa	165	cleavage
80 °C- $\sigma \geq 5.0$ MPa	1000	-

If a ductile fracture occurs during the test at 80°C - 165 hrs, the test is repeated for 1,000 hrs at a lower stress level.

**Polyethylene pipes for underground networks for natural gas distribution**

**Technical Datasheet**

## TABLE OF CONTENTS

### 1.0 REFERENCE DOCUMENT

#### 1.0 REFERENCE AND STANDARD DOCUMENTS

11-0257-02-07-02-001 Polyethylene pipes for underground networks for natural gas distribution - General requirements.

11-0257-02-07-02-003 Polyethylene pipes for underground networks for natural gas distribution -Quality control of pipes.

11-0257-02-07-02-007 Supplementary procedure for type-approval of polyethylene pipes for underground networks for natural gas distribution.

IS 14885 Polyethylene Pipes for the Supply of Gaseous Fuels-  
Specification

Dn	e n	SDR	Coil Length in	Total Length Km	Approved Material	Weight/m (Kg/m)
20	3	11	200		E3-N3-F3- D1-H3	0.162
32	3	11	200		E3-N3-F3- D1-H3	0.28
63	5 · 8	11	100		E3-N3-F3- D1-H3	1.05
90	8 · 2	11	<b>100</b>		E3-N3-F3- D1-H3	
125	1 1 · 4	11	<b>50</b>		E3-N3-F3- D1-H3	4.1

(\*) approximative value according to DIN 8074

Manufacturer	Commercial brand name		Code (*)
SOLVAY	ELTEX	TUB 121/125	E3
BOREALIS		HE 2490	N3
FINA	FINATHENE	XS10B	F3
DOW		BG1005O	DI

**POLYETHYLENE PIPES FOR UNDERGROUND NETWORKS FOR NATURAL GAS  
DISTRIBUTION QUALITY CONTROL OF PIPES**

## **TABLE OF CONTENTS**

1. SUBJECT AND AREA OF APPLICATION
2. REFERENCE AND STANDARD DOCUMENTS
3. GENERAL PRINCIPLES
4. TESTS

APPENDIX 1 – TABLES OF SAMPLES APPENDIX 2- DIMENSIONAL REQUIREMENTS

APPENDIX 3- FACTORY CERTIFICATE APPENDIX 4- STOCK LIST

APPENDIX 5- ASSESSMENT OF APPEARANCE DEFECTS ON INTERNAL AND EXTERNAL SURFACES OF POLYETHYLENE PIPES FOR UNDERGROUND

- 1 PREAMBLE
2. DESCRIPTION OF MAIN APPEARANCE DEFECTS
3. ASSESSMENT CRITERIA
4. ACCEPTANCE CRITERIA FOR BATCHES



## **1. SUBJECT AND AREA OF APPLICATION**

The purpose of this document is to define the test requirements to be met by PE pipes in accordance with the latest version of the CUGL specification listed on reference documents 11-0257-02-07-02-001, -002, -007

## **2. REFERENCE AND STANDARD DOCUMENTS**

11-0257-02-07-02-001 Polyethylene pipes for underground networks for natural gas distribution

- General requirements.

11-0257-02-07-02-002 Polyethylene pipes for underground networks for natural gas distribution

-Technical data sheet.

11-0257-02-07-02-007 Supplementary procedure for type-approval of polyethylene pipes for underground networks for natural gas distribution.

IS 14885 Polyethylene Pipes for the Supply of Gaseous Fuels- Specification

## **3. GENERAL PRINCIPLES**

### **3.1. MANUFACTURER'S RESPONSIBILITY**

The manufacturer is totally responsible for the quality of the pipes which he manufactures. Acceptance Test procedures do not absolve him from this responsibility.

In order to ensure that the pipes comply with the specification in every case, tie pipes are tested by the factory control department, which is separate from its production department.

The pipes supplied are guaranteed for one year after commissioning or three years maximum after the date of manufacture.

### **3.2. QUALITY ASSURANCE**

The manufacturer must have a quality assurance system in place as described in standard EN 29001 or EN 29002. The quality manual must be supplied to the Owner/ owner representative Quality Control Department.

The quality assurance system shall be certified by an accredited body.

### **3.3. SPECIMEN SAMPLE OF GRANULATE**

The manufacturer shall supply the Owner/ owner representative Quality Control Department with a kilo of granulate from each batch of material used to manufacture the pipes.

The specimen sample is taken in the presence of the Owner/ owner representative Quality Control Department official if testing takes place during manufacture. A suitable container

shall be supplied to the manufacturer by Owner.

All necessary precautions shall be taken to prevent contamination and deterioration of the granulate during sampling and during subsequent handling of the sample.

#### **4. TESTS**

##### **4.1. TESTS CARRIED OUT BY THE MANUFACTURER**

###### **4.1.1. General**

It is essential to comply with the provisions in the following sections to ensure that the pipes conform to the specification in every case.

All the pipes are individually numbered. This marking is done using an inert product which will not adulterate the quality of the pipes (e.g. lithographic chalk). The pipe number consists of a maximum of three digits. In the case of pipes with a diameter of 90 mm or more, the number is marked on the inside. For rolled pipes and pipes on drums, it is applied on an adjoining label and the marking must not be subject to deterioration.

###### **4.1.2. Individual tests**

###### **4.1.2.1. Appearance**

The external and internal appearance of each pipe is checked in accordance with the document, "Assessment of appearance defects on the internal and external surfaces of polyethylene pipes for underground networks for natural gas distribution" (see Appendix 5). A suitable artificial lighting system is used to check the internal appearance.

###### **4.1.2.2. Dimensions**

The thickness and average diameter (see Appendix 2), measured in the conditions defined in the specification, are entered in an inspection document which includes the dates of manufacture and the production team, extruder number, code of the material used, pipe number and, if a pipe is declared invalid, the reason for the rejection.

When the manufacturer carries out continuous measurement of the thickness, the record of the values measured shall include all the details necessary for marking of the pipes.

The, inspection documents and any records shall be supplied to the Owner/ owner representative official.

###### **4.1.3. Each batch of material**

The pipe manufacturer shall ask the raw material manufacturer for a certificate showing:

- melt mass-flow rate;
- water content;
- density;

- carbon black content;
- carbon black quality;
- thermal stability.

The pipe manufacturer shall carry out the following checks and tests on each batch of material:

- melt mass-flow rate on resin before use;
- volatile and water content;
- thermal stability of the resin.

These checks and tests shall be carried out in the conditions laid down in technical specification. The results are entered in documents showing full identification of the batch of pipe, to be supplied to the Owner/ owner representative official.

#### 4.1.4. Each batch of pipes

For each batch of pipes, the manufacturer shall carry out the following checks and tests in addition to the above-mentioned individual tests:

- ovalisation;
- length;
- melt mass-flow rate on pipe;
- thermal stability of pipe;
- internal stresses;
- resistance to internal hydraulic pressure at 20°C and 80°C;
- determination of traction characteristics of pipes; tension at yield point at 23°C and elongation to fracture at 23°C;
- end-to-end weldability for pipes with diameters of 110 mm or more.

These checks and tests are carried out in the conditions defined in technical specification

The results are entered in documents showing full identification of the batch of pipes and supplied to Owner/ owner representative.

#### 4.1.5. Type-approval of pipes

When a new material aid/or a new extruder is used, the manufacturer must have the product type- approved in accordance with the standard.

#### 4.1.6. Special tests

- Resistance to atmospheric influence.

- Resistance to growth of cleavage fractures.
- Resistance to slow cracking (notch test).

If necessary, these tests shall be carried out by mutual agreement in an independent laboratory.

## 4.2 FACTORY ACCEPTANCE BY OWNER/ OWNER REPRESENTATIVE QUALITY CONTROL DEPARTMENT OFFICIAL

### 4.2.1. General

Acceptance tests are carried out in the presence of an official from the Owner/ owner representative Quality Control Department.

All checks and tests are carried out in the conditions laid down in technical specification . The results must be in accordance with the provisions specified therein and with the individual specifications of the order.

On each visit, the manufacturer provides the Owner/Owner's representative free of charge with the facilities and personnel necessary to carry out the tests laid down in the specification. In addition, during execution of the order, the Owner/Owner's representative has access to the storage installations for the raw materials before manufacture, the manufacturing and testing installations and the storage areas for the pipes for which Owner/Owner's representative is responsible for testing.

On arrival at the factory for his inspection, Owner/Owner's representative receives a certificate for each batch of pipes presented for acceptance. This document shall be consistent with the specimen in Appendix 3.

In addition, when acceptance relates to part of an order, the supplier must provide the Owner/Owner's representative with a stock list and a history of the stock of pipes. A specimen of this form is attached to this document: Appendix 4.

Whenever so requested by the Owner/Owner's representative, the manufacturer must be able to provide him with recent test and calibration reports for the measuring instruments and test installations.

### 4.2.2. Convening notice for acceptance

The acceptance convening procedures are specified in the order.

### 4.2.3. Acceptance tests

#### 4.3.2.1. Appearance, dimensions and marking

The number of pipes examined is at least 10 % of the pipes presented for acceptance.

The pipes to be examined are placed on work trestles or grids for ease of testing. Rolled pipes are presented on reels.

#### 4.2.3.2. Checking of characteristics

For each batch of pipes as defined in technical specification or a constituent part thereof, the minimum samples to be taken are stated in the table in Apndx 1.

### 4.3 ACCEPTANCE AND REJECTION

#### 4.3.1. Appearance, dimensions and marking

Any failure means that the batch is rejected. It may however be presented again after sorting, with the agreement of the Owner/Owner's Representative.

#### 4.3.2 Checking of characteristics

Any result which is not in accordance with the provisions of the specification and the individual specifications of the order shall give rise to a repeat test on at least double the number of samples. If the unfavorable result is confirmed, the batch is definitively rejected. If the unfavorable result is invalidated, the batch is accepted.

By way of additional investigation, other analyses or examinations may be carried out by mutual agreement, at the manufacturer's expense.

### 4.4 DISPATCH WITHOUT ACCEPTANCE

If Owner/Owner's representative decide to waive the acceptance procedures, it reserves the right to ask the manufacturer to carry out the acceptance tests and checks laid down in 4.2.3.

The supplier is obliged to send the Owner/Owner's representative a factory certificate, the stock lists and the acceptance test and check report if these have been requested.

These documents shall contain the order references.

Failure to observe the above procedures shall be sanctioned by refusal to take delivery.

### APPENDIX 1 – TABLES OF SAMPLES

Test	Quality criterion as per specification	Test method As per Specification s G001-1	No of samples per batch	Number of test specimens
------	--	--	-------------------------------	--------------------------------

Internal stresses	§ 5.2.2.1	§ 6.8	2	3 from the same pipe	
Determination of traction characteristics	§ 5.2.2.5	§ 6.12	2	3 from the same pipe	
Melt mass flow rate	§ 5.2.1.4	§ 6.3	2	1 from Same pipe	
Resistance to internal hydraulic Pressure -at 20 <sup>0</sup> C	§ 5.2.2.2	§ 6.9	1	2 test specimen(+ 2 reserves)(1) 1 test specimen per pipe	
-at 80 <sup>0</sup> C			1	2 test specimen(+ 2 reserves)(1) 1 test specimen	
Weldability	§ 5.2.2.6	§ 6.13	2(4)	2 section of different pipe welded end to end	
Traction on welded pipe	§ 5.2.2.2	§ 6.9	1	1 welded sample(3 )	
Resistance to internal hydraulic pressure -at 20 <sup>0</sup> C			1		
-at 80 <sup>0</sup> C			1	See note	
Resistance to slow cracking of notched pipe (Notch test)	§ 5.2.2.3.	§ 6.10	4(3)	See note (5)	

Resistance to growth of cleavage fractures	§ 5.2.2.4	§ 6.1 1	4(3)	See note (5)	
--	-----------	------------	------	--------------	--



Thermal stability of PE	§ 5.2.1.7	§ 6.6	1(3)	See note (5)	
-------------------------	-----------	-------	------	--------------	--

Notes

- (1) Number of test specimens to be tested: 1 specimen at start of manufacture and 1 specimen at end of manufacture per shift basis.
- (2) In agreement with the Owner official, these tests on welded test specimens may be included in the series of tests designed to check resistance to internal hydraulic pressure.
- (3) Performance of this test is left to the discretion of the Owner/Owner's Representative.
- (4) The number of welded samples per batch may be increased to three if the Owner official has decided to carry out the traction test on the welded sample.
- (5) The taking of samples is left to the discretion of the Owner official, if the manufacturer is not equipped to carry out these tests properly, they shall be carried out at the manufacturer's expense in a reputed laboratory chosen by Owner.

## APPENDIX 2- DIMENSIONAL REQUIREMENTS

The pipes belong to either series SDR 11 or SDR 17.6 defined

below: THICKNESS

Nominal Diameter de	SDR 11			SDR17.		
	en	emin in mm	emax in mm	en	emin in mm	emax in mm
32	3	3	3.4	-	-	-
125	11.4	11.4	12.7	7.1	7.1	8.0

### MEAN EXTERNAL DIMENSIONS

Nominal Diameter de	MEAN EXTERNAL DIAMETER dm	
	dm min. in mm	dm max in mm
32	32	32.3
125	125	

## APPENDIX 3 - FACTORY CERTIFICATE

PE pipes for underground gas networks		FACTORY CERTIFICATE n°	
Supplier:		Order :	
Dimensions:		SDR Series:	
Material:		Batch no:	Date of manufacture:
MRS:			
<b>1. TEST ON MATERIAL</b>			
1.1 MFI :		g/10 min	
1.2 Volatile content :		mg/kg	
1.3 Thermal stability :		min	
<b>2. PRODUCTION TEST ON EXTRUDED PIPES</b>			
2.1 Dimensions	d <sub>m</sub> min:	d min:	e <sub>m</sub> min:
	d <sub>m</sub> max:	d max:	e <sub>m</sub> max:
2.2 Surface appearance	Smooth pipes free of cavities, pitting, scratches or other defects:		Checked:
2.3 Traction:	Elongation to fracture:		
2.4 Internal stresses:			
2.5 Weldability:			
2.6 Hydraulic tests:	80 °C - σ: N/mm²:	20 °C - σ: N/mm²:	hr
	g/10 min	hr	
2.7 MFI:			
2.8 Thermal stability:	min		
2.9 Volatile content::	mg/kg		
<b>3. Marking of pipes</b>			
<b>4.</b>	<b>Packing</b>		<b>Number</b>
	Crates		
	Rolls		
	Drums		
<b>Date</b>		<b>Factory stamp</b>	<b>Signature</b>

### APPENDIX 4 - STOCK LIST

<b>Stock list</b>	<b>PE pipes for natural gas distribution networks STS G001-3</b>							<b>Sheet n°</b>	
<b>Order n°</b>	<b>Acceptance/Authorisation (1) dated:</b>							<b>Material:</b>	
	$\varnothing = 32$		$\varnothing = 40$		$\varnothing = 63$		R = Rolls L = Straight length		
	R 50 m	L 6 m	R 50 m	L 6 m	R 50 m	L 6 m			
	SDR 11		SDR 11		SDR 11				
<b>A</b>	Stock available after acceptance n° dated								
<b>B</b>	Deliveries							<b>Call no.</b>	<b>Destination</b>
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
<b>D</b>	Accepted								
<b>E</b>	Stock after acceptance (C + D)								
<b>F</b>	Balance on calls recorded							<b>Call no.</b>	<b>Destination</b>
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
<b>G</b>	Available (E - $\Sigma$ F)							<b>Comments:</b>	
<b>H</b>	Stock not accepted								
<b>i</b>	in production								
	Stock still available to cover 1 month's consumption (G + H + I)								
<b>Date:</b>			<b>Factory stamp</b>						
<b>Name:</b>									
<b>Signature:</b>									

(1) delete as applicable

Stock list		PE pipes for natural gas distribution networks- STS G001-3				Sheet n°	
Order n°		Acceptance/Authorisation (1) dated:				Material:	
m	Ø = 110		Ø = 160	Ø = 200	Ø =	R = Rolls L = Straight length	
	R450	L14	L14	L14			
SDR	17,6	17,6	17,6	17,6			
A	Stock available after acceptance n° dated						
B	Deliveries					Call no.	Destination
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
C	Available before acceptance (A - Σ B)						
	Presented for acceptance						
D	Accepted						
E	Stock after acceptance (C + D)						

F	Balance on calls recorded					Call no.	Destination
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
G	Available (E - Σ F)					Comments:	
H	Stock not accepted						
I	In production						
	Stock still available to cover 1 month's consumption (G + H + I)						
Date:			Factory stamp				
Name:							
Signature:							

(1) Delete as applicable

## **APPENDIX 5- ASSESSMENT OF APPEARANCE DEFECTS ON INTERNAL AND EXTERNAL SURFACES OF POLYETHYLENE PIPES FOR UNDERGROUND NETWORKS FOR NATURAL GAS DISTRIBUTION**

### **1 PREAMBLE**

The internal and external surfaces of the tubes are examined visually with the naked eye, without magnification and under adequate lighting.

### **2. DESCRIPTION OF MAIN APPEARANCE DEFECTS**

#### **2.1. DEFECTS CAUSED BY HANDLING OR STORAGE**

##### **2.1.1. Incrustation with foreign matter**

Pebbles, sand, glass, filings, wood splinters, etc..

##### **2.1.2 Scratches**

Narrow continuous lesions.

##### **2.1.3 Notches**

Incisions made by a sharp instrument.

##### **2.1.4 Superficial wear and tear**

Surface deterioration resulting from friction against foreign matter.

##### **2.1.5 Holes**

Holes in the wall caused by forceful insertion of a generally pointed object (e.g.: nails, probes, screws, etc.).

##### **2.1.6 Dented walls**

Permanent distortion of the wall accidentally caused during handling.

#### **2.2 MANUFACTURING DEFECTS<sup>1</sup>**

##### **2.2.1. Continuous longitudinal internal lines**

Longitudinal marks evenly distributed around the inner circumference of the pipe, caused by fusion of material faces on exit from the extrusion tool. These marks are caused by an incorrect choice of transformation parameters.

##### **2.2.2. Continuous longitudinal lines inside and outside These do not exceed 0.20 mm in depth.**

- They may be caused by the defective condition of the calibrators or the sealing device for the calibration system, in which case they are isolated instances.
- They may be caused by friction of residual deposits attached to parts of the extrusion tool, the calibrators or the sealing plug of the calibration system. In this case, they are generally randomly distributed. These deposits may consist of waxes, oxidised polyethylene or other products which are released during transformation of the material in the extruder or which are present in the cooling water.

### 2.2.3. Incrustation with residual matter generated during extrusion

The deposits defined in 2.2.2. work loose and are crushed in the external wall of the pipes while passing into the calibrator, or adhere to the internal wall of the pipes.

### 2.2.4. Presence of foreign matter in the polyethylene resulting from contamination of the raw material .

This contamination may be caused by all sorts of liquid or solid products (oil, paper, cardboard, plastics, glass, sand, dust, etc.).

### 2.2.5. Excessive water and volatile contents

#### 2.2.5.1. Porosity

Defects generally caused by volatile matter which occur specifically when the water and volatile contents are too high.

The term extrusion defect covers all defects resulting from the complete pipe manufacturing process.

#### 2.2.5.2. Craters (surface spalling)

Shallow or deep conical cavities the cause of which is difficult to establish, generally the result of water and volatile contents being too high.

### 2.2.6 Pitting

Defects in the shape of aligned dots, either in clusters or dispersed, which are often connected with carbon black anomalies.

### 2.2.7 Unfused parts

Molecular polyethylene elements which are totally or partially unfused and located both on the surface and right inside the thickness of the pipe wall.

### 2.2.8 Cavities

Superficial denting of the external wall, sometimes replicated on the internal wall.

This is the result of distortion caused by a drop of water between the pipe and the calibrator at the intake. The water comes from the calibrator cooling system and is a common phenomenon if the pressure of the calibrator cooling water is too high.

## 2.3. DEFECTS CAUSED BY MARKING

### 2.3.1 Marking too deep

This is caused by incorrect setting of the stamps or the stamp design.

### 2.3.2 Indentations caused by the tool holding the marking stamps These are the result of incorrect settings or wear and tear.

### 3. ASSESSMENT CRITERIA

#### 3.1. CRITICAL DEFECTS

The following defects are critical:

- Continuous longitudinal internal lines (see § 2.2.1.)
- Presence of foreign matter in the polyethylene resulting from contamination of the raw material (see §2.2.4.)
- Porosity (see § 2.2.5.1.)

#### 3.2 OTHER DEFECTS

Defects caused by handling or storage

Pipes presenting one of the following defects are classified as defective:

- Incrustation with foreign matter (see § 2.1.1.).
- Scratches (see § 2.1.2.), the depth of which is more than 10% of the thickness, with a limit of 0.5 mm.
- Superficial wear and tear (see § 2.1.4.), where the depth of the marks is more than 10% of the thickness, with a limit of 0.5 mm.
- Notches (see § 2.1.3.), the depth of which is more than 10% of the thickness, with a limit of 0.50 mm.
- Holes, the depth of which (see § 2.1.5.) is more than 10% of the thickness, with a limit of 0.50 mm
- Dents in the pipe wall (see § 2.1.6.).

##### 3.2.2 Manufacturing defects

##### 3.2.2.1 Incrustation with residual matter generated during extrusion, craters, pits, unfused elements (see § 2.2.3., 2.2.5.2., 2.2.6. and 2.2.7.)

A sample may present several of the above defects.

Let  $p$  be the depth of the defect and  $e$  the nominal thickness of the pipe. Case 1 :  $p > 0.1.e$

Any pipe which includes one of the above defects where the depth is more than 10% of the nominal thickness of the pipe is always considered to be defective.

Case 2 :  $p \leq 0.1.e$

For a pipe which contains isolated defects<sup>2</sup>, the depth of which is 10% of the nominal thickness or less, each defect is allocated a grade  $g$  depending on its largest dimension  $a$ , excluding the depth. The value of  $g$  in terms of  $a$  is defined in Table 1.



Largest dimension a of defects in	Grade
1.0 ≤ a < 2.0	5
2.0 ≤ a < 3.0	10
3.0 ≤ a < 4.0	25
4.0 ≤ a < 5.0	50
5.0 ≤ a < 6.0	51

Defects, the largest dimension of which is less than 1mm are not taken into account.

A pipe is considered to be defective when it presents a defect, the largest dimension of which is 6.0 mm or more.

A pipe is considered to be defective when the sum of the products of the grades  $g$  multiplied by the number of defects  $n$  detected along a length of 100 cm exceeds the value  $L$  defined in table 2 in terms of the diameter of the pipe.

Table 2

Nominal diameter $d_e$	$L = \sum(n.g)$
32	20
125	

3.2.2.2 Continuous longitudinal marks inside and outside, cavities, marking too deep and indentations caused by marking tool.

Pipes presenting the following defects are classified as defective:

- Continuous longitudinal marks on the inside and outside which are 0.20 mm deep or more (see § 2.2.2.).
- Cavities (see § 2.2.8.).
- Marking too deep (see § 2.3.1.), where the depth is more than 0.20 mm.
- Indentations caused by the marking tool (see § 2.3.2.), where the depth is more than 0.20 mm.

#### 4. ACCEPTANCE CRITERIA FOR BATCHES

##### 4.1. CRITICAL DEFECTS

When a pipe presents one of the defects described in section 3.1., the batch is rejected.

<sup>2</sup> A defect is considered to be isolated if the gap between the closest edges of two defects is greater than the largest dimension of the defects. Otherwise, it is a single case defect.

Note : Porosity

Rejection is confirmed if the water or volatile contents measured exceed the criteria laid down in the technical specification.

## 4.2 OTHER DEFECTS

The following rules apply to the sampling test<sup>3</sup>.

When examining the pipes comprising the sample batch, let  $n_1$  be the number of defective pipes or rolls

if  $n_1=0$  the batch is acceptable;

if  $1 \leq n_1 < 3$  the batch is acceptable, but the defective pipes or rolls are eliminated; if  $n_1 \geq 3$  a second sample is taken from the batch presented following the procedures described previously, and the defective pipes or rolls are eliminated.

<sup>3</sup>Sampling: The sample comprises the pipes contained in a whole number of packaging units (crates or rolls) corresponding to 10% in excess of the total length of pipes presented. Examination of the appearance covers the surfaces of the internal and external walls. In the case of pipes rolled on a drum, the appearance is checked for each drum on the sections of pipes in the last layer of rolled coils, as well as those accessible from the side.

When examining the pipes comprising the second sampling, let  $n_2$  be the number of defective pipes or rolls

if  $n_2 = 0$  the batch is acceptable;

if  $1 \leq n_2 < 3$  the defective pipes or rolls are eliminated;

if  $n_2 \geq 3$  the batch is rejected. It may be sorted and, if necessary, the balance of the sorting operation may be presented again for testing.

---

**POLYETHYLENE COMPOUNDS FOR MANUFACTURE OF PIPES FOR  
UNDERGROUND NETWORKS FOR NATURAL GAS DISTRIBUTION ACCEPTANCE  
PROCEDURE**

---

## **TABLE OF CONTENTS**

1. SUBJECT
2. REFERENCES: STANDARDS AND SPECIFICATIONS
3. DEFINITIONS AND SYMBOLS
  - 3.1. LOWER CONFIDENCE LIMIT (LCL)
  - 3.2. MINIMUM REQUIRED STRENGTH (MRS 10)
  - 3.3. PE 100
  - 3.4. BATCH OF COMPOUND
  - 3.5. BATCH OF PIPES
4. GENERAL SPECIFICATIONS
5. SUMMARY OF THE PROCEDURE
  - 5.1. GENERAL
  - 5.2. APPLICATION FOR APPROVAL
6. TECHNICAL FILE
  - 6.1. EVALUATION
  - 6.2. ADDITIONAL TESTS
7. CONFIRMATION TESTS
8. FOLLOW-UP
  - 8.1. TECHNICAL DATA SHEET
  - 8.2. CONTINUITY OF THE COMPOUND APPENDIX 1

The information contained in this document should be treated as confidential and is to be considered as the exclusive property of CUGL.

Direct or indirect use of this document or any part of it is only allowed for CUGL productions.

## **1 SUBJECT**

This specification describes the procedure to be followed for acceptance of a polyethylene (PE) compound for manufacture of natural gas underground distribution systems.

This specification also gives the minimum requirements which have to be met by PE compounds for manufacture of pipes, fillings and valves and for the construction of underground distribution systems for natural gas.

The compounds that meet this specification must at the minimum be PE 100. The color shall be orange in accordance with the local requirements.

## **2. REFERENCES: STANDARDS AND SPECIFICATIONS**

This section contains the list of standards and specifications referred to in this specification.

EN 728: 1997 Plastics piping and ducting systems - Polyolefin pipes and fillings - Determination of oxidation induction time.

prEN 1555-1 Plastics piping systems for the supply of gaseous fuels - Polyethylene (PE) - Part 1: General

prEN 1555-7 Plastics piping systems for the supply of gaseous fuels - Polyethylene (PE) - Part 7: Assessment of conformity.

prEN 12099 Plastics piping systems - Polyethylene piping materials and components - Determination of volatile content.

prEN 12118 Plastics piping systems - Determination of moisture content in plastics by conformity.

EN ISO 12162: 1995 Thermoplastics materials for pipes and fittings for pressure applications - Classification and designation - Overall service (design) coefficient.

- EN ISO 13478: 1997 Thermoplastics pipes for the conveyance of fluids - Determination of resistance to rapid crack propagation (RCP) - Full-scale test (FST).
- EN ISO 13479: 1997 Thermoplastics pipes for the conveyance of fluids  
- Determination of resistance to crack propagation (RCP) - Test method for slow crack growth on notched pipes (notch test).
- EN 45001: 1990 General criteria for the operation of testing laboratories.
- ISO 1133: 1997 Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics.
- ISO 6964: 1996 Polyolefin pipes and fittings - Determination of carbon black content by calcination and pyrolysis Test method and basic specification.
- ISO/DIS 9080 Plastics piping and ducting systems-Determination of the long-term hydrostatic strength of thermoplastics materials in pipe from by extrapolation.
- ISO 11420: 1996 Method for the assessment of the degree of carbon black dispersion in polyolefin pipes, fittings and compounds.
- ISO 13477: 1997 Thermoplastics pipes for the conveyance of fluids  
- Determination of resistance to rapid crack propagation (RCP) - Small-scale- steady- state test (S4 test).
- IS 14885 Polyethylene Pipes for the Supply of Gaseous Fuels-Specification
- 11-0257-02-07-02-001 to 11-0257-02-07-02-003  
Polyethylene pipes for underground networks for natural gas distribution 11-0257-02-07-02-004 PE Accessories for underground networks for natural gas distribution

### 3. DEFINITIONS AND SYMBOLS

#### 3.1. LOWER CONFIDENCE LIMIT (LCL)

A quantity with the dimensions of stress, in megapascal, which can be considered as a property of the material under consideration and represents the 97.5% lower confidence limit of the predicted long-term hydrostatic strength at a temperature of 20 degree C for 50 years with internal water pressure.

#### 3.2. MINIMUM REQUIRED STRENGTH (MRS 10)

Standardized class of compounds for which the LCL is equal to 10.

#### 3.3. PE 100

Standard designation for PE compounds in class MRS 10.

For such PE compounds, the long-term hydrostatic strength — calculated and classified according to the standardized method (ISO 9080 and ISO 12162) for a temperature of 20°C, a period of 50 years and a reliability of 97.5 % — must be at least 10 MPa.

#### 3.4. BATCH OF COMPOUND

By batch of compound is meant a homogeneous quantity of PE compound of the same origin and of a particular brand.

The batch must be registered under a single identification number (batch number) which leaves no doubt as to the origin, identity and date of manufacture of the compound.

#### 3.5. BATCH OF PIPES

By batch of pipes is meant a homogenous lot of pipes with identical dimensions, made in a continuous process by the same extrusion machine and from the same batch of compound.

### 4 GENERAL SPECIFICATIONS

The PE compounds that are acceptable according to the requirements of this specification must conform to the requirements for PE 100 described in prEN1555-1.

If the proposed compound is destined for manufacture of pipes, then the acceptance procedure is carried out as described in this specification.

If the proposed compound is destined for manufacture of fittings, then the first stage (section 6) of this acceptance procedure is carried out, after which type tests are carried out on the fittings manufactured from the material concerned. An independent laboratory appointed by Owner/ owner representative will then evaluate whether conformity with the characteristics mentioned in the technical file has been proved, on the basis of the provisions of prEN 1555-7 and CUGL specification 11-0257-02-07-02-004.

## **5. SUMMARY OF THE PROCEDURE**

### **5.1. GENERAL**

The acceptance procedure for PE compounds comprises two stages, namely the evaluation of the technical file and the confirmation tests. The different steps are carried out in the order described below.

The tests which form part of the technical file are carried out on pipes or samples supplied by the compounds manufacturer. In principle, all tests mentioned in the technical file are carried out on pipes from the same batch.

The tests mentioned in chapter 7 are carried out on pipes manufactured by a pipe manufacturer chosen by Owner/ Owner Representative .

The tests mentioned in chapter 6.1 (table 1), 6.2 and 7 are carried out in a laboratory appointed by Owner/ Owner Representative.

### **5.2. APPLICATION FOR APPROVAL**

A manufacturer that wishes to have a certain PE compound classified for the manufacture of PE gas components must submit a written application to Owner.

This application must be accompanied by a clear description of the compound concerned, including the technical characteristics.

All correspondence must be in English.

## **6. TECHNICAL FILE**

### **6.1. EVALUATION**

If the application is taken into consideration by Owner/ Owner Representative, the compound manufacturer must submit a technical file to a laboratory appointed by Owner/ Owner Representative.

This technical file must include the following information:

- name and class of the PE compound;
- technical characteristics of the compound, with reference to the standard;
- a dossier with test results, from an independent laboratory, showing that the proposed compound meets the requirements of prEN 1555-1 for a PE 100 compound. The dossier must also state which tests have been carried out on the same batch of pipes or test samples, including the identification of their origin.

The laboratory chosen by Owner/ Owner Representative will also evaluate the conformity of this dossier, taking the following rules into account:



a) If the tests mentioned in the technical file have been carried out by a laboratory accredited according to EN 45001, and if the tests have been carried out on the same batch of pipes for the required diameter and wall thickness, then the evaluation will be limited to an examination of the dossier in accordance with the provisions of prEN 1555-1 and the quantity of test samples laid down in 1555-7;

b) If the tests mentioned in the technical file have been carried out by a laboratory that is not accredited according to EN 45001 and/or on different batches of pipes for the same diameters/wall thickness, then the evaluation will be done on the basis of further tests in order to confirm the characteristics mentioned in the technical file.

c) The characteristics for rapid crack propagation (RCP) and slow crack propagation (SCG), as mentioned in the technical file, must comply with the requirements of the standard. Furthermore, the requirements of table 1 must be met:

Characteristic	Requirement	Standard
PcS4	DN 250- SDR 11 0°C -> 3,5 bar	ISO 13477
PcFS	DN 250- SDR 11 0°C-> 15 bar	EN ISO 13478
SCG	DN250-SDR11 80°C-σ <sub>4,6</sub> ->500h	ENISO13479

The tests mentioned in table I must be carried out by an independent laboratory appointed by Owner/ Owner Representative. The three series of tests must be carried out on the same batch of pipes.

If it emerges from the evaluation of the technical file that conformity with prEN 1555-1 is guaranteed,

then the next stage of the procedure can commence, as described in section 7.

## 6.2. ADDITIONAL TESTS

### 6.2.1. General

If from the evaluation L emerges that the dossier submitted is incomplete or does not offer the necessary guarantees of conformity with the standard, then additional tests will be carried out by the laboratory appointed by Owner, at the cost of the compound manufacturer.

The same procedure will be followed if the technical file has been drawn up by a laboratory that is not accredited and/or if several batches of pipes have been used for each diameter/wall thickness in carrying out the tests.

---

### 6.2.2. Delivery of the pipes

The required batch of pipes must be delivered by the compound manufacturer, the pipes having been produced by a pipe manufacturer who at that moment is a Owner/ owner representative supplier.

The number of pipes must be based on the numbers and frequencies mentioned in prEN 1555-7. If the technical file is based on tests carried out by a non-accredited laboratory and/or carried out on several batches of pipes per diameter/wall thickness, then the tests will repeated on at least half of the required test samples; if the number thus calculated is not a whole number, the number of test samples taken will be equal to the next whole number.

### 6.2.3. Test results

If from the additional tests it appears that conformity with prEN 1555-1 is guaranteed, then the next phase of the procedure can commence, as described in section 7.

If despite the additional tests no unambiguous decision can be taken regarding the conformity of the compound, then further additional tests will be carried out, until the number of test samples is at maximum equal to the number specified in the standard concerned. For this purpose, the manufacturer must keep sufficient pipes of the same batch in reserve.

If the evaluation is still not positive after the maximum number of samples has been tested, then the compound will be considered as not accepted.

## 7 CONFIRMATION TESTS

The second stage of the acceptance covers the industrial production of pipes, the verification of the characteristics, the laying of the pipes and the fusion to existing PE systems.

This second stage of the acceptance is carried out by Owner/ owner representative. Before this stage can commence, the manufacturer must provide Owner/ owner representative with a technical data sheet (see appendix 1) showing the limit values for the characteristics of the compound concerned.

For the purpose of carrying out this part of the procedure, Owner/ owner representative will order a batch of pipes from one of its pipe manufacturers. After verification of the characteristics in the factory and confirmation by an independent laboratory, the pipes will be installed in the Owner/ owner representative gas distribution network, taking into account the following aspects:

- Any problems with delivery and with extrusion of the compound will be noted.
- The limits of the characteristics mentioned in the technical data sheet.
- For characteristics not included in the technical data sheet, the measured value may deviate by max. 30% from the average values mentioned in the technical file, to the extent that these are relevant and not in conflict with the requirements of the standard.
- Any problems with laying or welding or connecting the pipes; these will be noted.

If from the test results it appears that the characteristics of the compound and/or pipes do not comply with the requirements, or if anomalies are found in laying and/or welding of the pipes, then the acceptance procedure will be provisionally suspended. The problems found will be analysed in consultation with the compound manufacturer, and an attempt will be made to find solutions which are acceptable to both parties.

If this turns out to be impossible, then the compound will be considered as not accepted.

In such a case, the costs of the second stage could be charged to the compound manufacturer.

If the second stage of the procedure is successfully completed, then the compound is accepted and will be included in the list of “Approved PE Compounds”. This list is published in the CUGL specifications for PE pipes (11-0257-02-07-02-001 to 003) and PE fittings (11-0257-02-07-02-005). The materials will be included when the list is next published (around once every two year).

## 8. FOLLOW-UP

### 8.1. TECHNICAL DATA SHEET

The manufacturer must supply Owner/ owner representative with a technical data sheet, as described in Appendix 1, with permission for Owner/ owner representative to publish this technical data sheet in the specifications for PE pipes and fittings, for as long as the compound is included in the list of approved compounds.

The data entered on this data sheet apply as limit values for the compound concerned. Whenever one or more characteristics of a batch of compounds falls outside these limits, then the batch will be automatically refused for production of components destined for our gas network.

8.2. CONTINUITY OF THE COMPOUND

No alterations may be made to the compound without prior permission from Owner/ owner representative.

As mentioned in 8.1, the limits mentioned in the technical data sheet must be respected. Furthermore, in the case of characteristics not included in the technical data sheet, the measured values may not deviate by more than 30% from the average value mentioned in the technical file, to the extent that these are relevant and not in conflict with the requirements of the standard.

Each change that affects the final characteristics of the compound can result in additional tests being carried out by the compound manufacturer in accordance with the, provisions of prEN 1555-7 appendix A. The procedures for the test shall correspond to those described in section 6.1 of this specification.

APPENDIX 1  
Technical Data Sheet

Characteristics of (name of PE compound) as per prEN 1555-1

Characteristics	Standard	Specification
MRS	EN ISO 12162	MPa
Density min. max.	Method D of ISO 1183	kg/m <sup>3</sup> kg/m <sup>3</sup>
MFR190/5 mm. max.	ISO 1133	g/10 min g/10 min
Volatile content max.	prEN 12099	mg/kg
Water content max.	prEN 12118	mg/kg
Carbon black content Min. Max.	ISO 6964	% - %

Carbon black dispersion max	ISO 11420	<=Grade
OIT at 210°C min.	EN728	...min

Company ..... Person

responsible ..... Position

.....

Signature .....